



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Li Pan, et al. )  
Serial No.: 10/024,170 )  
Filed: December 14, 2001 ) Examiner: Unknown  
Title: AMMONIA AND AMMONIUM SENSORS ) Group Art Unit: Unknown  
Attorney )  
Docket No.: DI-5762 )

SUBMISSION OF FORMAL DRAWINGS IN RESPONSE  
TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Official Draftsman  
Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Dear Sir/Madam:

In response to the Notice to File Corrected Application Papers dated January 28, 2002, for the above-captioned pending patent application, Applicant respectfully submits the enclosed four (4) sheets of formal drawings. The copy of this notice to be returned with the reply is enclosed. Please charge Deposit Account No. 02-1444 of Baxter International Inc. for any necessary fees. A duplicate of this letter is enclosed for accounting purposes.

Also, please acknowledge receipt by stamping the enclosed self-addressed, stamped postcard that identifies the documents filed herewith.

Respectfully submitted,

Paula J.F. Kelly  
Attorney for Applicant  
Registration No. 37,624

Date: February 12, 2002

Baxter Healthcare Corporation  
One Baxter Parkway, DF3-3E  
Deerfield, Illinois 60015  
Tel: (847) 948-3866

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as 1st class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Official Draftsman, Washington, D.C. 20231, on February 12, 2002.

Date of Deposit

PAULA J.F. KELLY

Name of applicant, assignee, or Registered Representative

Signature

2-12-02

Date of Signature

DHW

0350



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10,024,170	12/14/2001	Li Pan	DI-5762

CONFIRMATION NO. 6401

## FORMALITIES LETTER



\*OC000000007375753\*

Joseph P. Reagen  
Baxter Healthcare Corporation  
DF3-3E  
1 Baxter Parkway  
Deerfield, IL 60022

Date Mailed: 01/28/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

40024170.022702